



ENGINEERED FOR THE UNKNOWN.

CONQUER EVERY OFF - ROAD SURFACE
PRODUCT CATALOGUE - TRACKS



What makes CAMSO Construction the right choice?

When it comes to compact construction bias tires and tracks, we're about delivering the right product for your construction needs.

Why? Because we believe that to ensure the lowest operating cost solution (LOCS) in a product, you must design it for a specific application to maximise its performance and durability. That's what we do.

- We work closely with equipment owners and operators to ensure we understand the right product for each application.
- Design and manufacture the most durable and reliable products available.
- Offer our high performance line-up to optimize your productivity and machine performance. Maximise product availability to increase uptime.
- Give the best technical support and service in the industry with operator's safety in mind.
- Ensure that equipment operators of our products get the safest installation and operation guidelines.
- Supply an industry leading non-prorated warranty across the entire CAMSO Construction track range.

Our compact construction bias tires are recognized for their performance in terms of service life, puncture resistance, traction, as well as operator ride comfort. Our construction tracks offer superior protection against rolling path failure, carcass puncturing and flange cutting. They last at least 20% longer than standard tracks. At the end of the day, we ensure the reliability users expect from tires and tracks to increase their uptime.



OBSTACLES ARE JUST A FRAME OF MIND



ABOUT US

CAMSO Construction is a global leader in off-the-road mobility solutions, specialising in high-performance tires and tracks for the construction industry.

With a product portfolio that spans across compact construction bias tires and tracks-CAMSO Construction delivering reliable solutions tailored to every surface, application, and operational challenge.

TABLE OF CONTENTS

01

THE CAMSO DIFFERENCE 54 TRACK COMPLETE LINE OVERVIEW 56 TREAD PATTERNS

1.1 CTL HXD	06
1.2 CTL SD	08
1.3 CTL SD MULTIBAR	10
1.4 RUBBER OTT	12
1.5 CARRIER HXD	14
1.6 MEX HXD	16
1.7 MEX SD	18

CAMSO CTL HXD



COMPACT
TRACK LOADERS



THE BEST TRACK FOR DURABILITY AND PERFORMANCE

Count on enhanced durability and excellent traction to maximise your uptime on heavy-duty applications.

camsoconstruction.com

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE



TRACTION




CAMSO CTL HXD

**SINGLE-CURE TECHNOLOGY WITH
NEXT GENERATION RUBBER COMPOUND**

- Promotes even tread wearing for long, predictable tread life

**TRACKGUARD IRON CORE
WITH HEAVY-DUTY CARCASS**

- Improves rolling path life for reduced failures and enhanced durability



**OPTIMIZED TREAD PATTERN
WITH NEXT GENERATION
RUBBER COMPOUND**




- Maintains excellent traction throughout tread life

**ENDLESS HIGH-TENSILE STEEL
CABLES**

- Eliminates unexpected downtime due to cable/track breakage

WIDTH	LINKS	PITCH	TREAD	GUIDING	METAL PIECE	METAL PIECE TYPE
180	39	72	HH	B	R	CONVENTIONAL
180	39, 41, 42, 44, 45	72	ST	J	R	RAIL TYPE
230	39, 41, 42, 44, 45	72	ST	J	R	RAIL TYPE
250	39	72	HH	B	R	CONVENTIONAL
250	52	72	HH	B	D	CONVENTIONAL
300	46	84	HH	B	E	CONVENTIONAL
320	49, 50, 52, 53, 54, 56	86	HH	B	E	CONVENTIONAL
320	48, 52	86	HH	J	W	RAIL TYPE
400	49, 50, 52, 53, 54, 55, 56, 60	86	HH	B	E	CONVENTIONAL
450	42, 52, 53, 55, 56, 59, 60	86	HH	B	E	CONVENTIONAL
450	48, 50	100	HH	J	E	RAIL TYPE
450	58	86	HA	B	E	CONVENTIONAL
450	63	86	HB	B	C	CONVENTIONAL

TREAD PATTERNS



CAMSO CTL SD



COMPACT
TRACK LOADERS



ALL-SEASON TRACTION AND DURABILITY

The versatile solution for compact track loaders. Apart from excellent performance all year long their enhanced durability and traction make them the best choice for use on various surface conditions.

camsoconstruction.com

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE



TRACTION




CAMSO CTL SD

SINGLE-CURE TECHNOLOGY

- Promotes even tread wearing for long, predictable tread life

TRACKGUARD IRON CORE

- Improves rolling path life for reduced failures and enhanced durability



VERSATILE ALL SEASON TREAD PATTERN


- Maintains excellent traction throughout tread life

ENDLESS HIGH-TENSILE STEEL CABLES

- Eliminates unexpected downtime due to cable/track breakage

WIDTH	LINKS	PITCH	TREAD	GUIDING	METAL PIECE	METAL PIECE TYPE
320	45, 48, 49, 50, 52, 53, 56	86	B	B	E	CONVENTIONAL
320	46, 52	86	B	J	W	RAIL TYPE
400	49, 50, 52, 53, 54, 55, 56	86	B	B	E	CONVENTIONAL
450	48, 50	100	B	J	E	RAIL TYPE
450	52, 53, 55, 56, 58, 59, 60, 63	86	B	B	E	CONVENTIONAL

TREAD PATTERN



CAMSO CTL SD MULTIBAR



COMPACT
TRACK LOADERS



VERSATILE PREMIUM TRACK FOR ALL YOUR TURF-FRIENDLY APPLICATIONS

The versatile turf-friendly solution for compact track loaders. Offers great performance on soft surfaces and various applications while delivering the same long product life as Camso CTL tracks.

camsoconstruction.com

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE



TRACTION



SOIL PROTECTION



CAMSO CTL SD MULTIBAR

TURF-FRIENDLY TREAD DESIGN WITH OPTIMIZED LUG-VOID RATIO

- Minimises surface disturbance with high contact patch area

ENHANCED LUG WAVE DESIGN

- Delivers dependable traction performance while emphasising surface protection




DOUBLE-SIDED SELF-CLEANING STEPPED LUG DESIGN

- Delivers extraordinary cleanout and exceptional traction

WIDTH	LINKS	PITCH	TREAD	GUIDING	METAL PIECE	METAL PIECE TYPE
450	52, 53, 55, 56, 58, 60	86	MT	B	E	CONVENTIONAL

USAGE SEGMENTATION



TREAD PATTERN



SOIL PROTECTION LUG COMPARISON

CAMSO CTL SD MULTIBAR



C LUG



ZIG ZAG LUG



CAMSO RUBBER OTT



SKID STEER
LOADERS



QUICK MOUNT ATTACHMENT FOR TRACKED PERFORMANCE

An over-the-tire add-on that increases skid steer loader traction, flotation and tire life. Installed in only 20 minutes, it will enhance the productivity of your skid steer loader on asphalt, concrete and turf surfaces without causing damage or marks.

camsoconstruction.com

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE



TRACTION



CAMSO RUBBER OTT

**EMBEDDED IRON CORE
WITH ENGINEERED WING DESIGN**

- Avoids detracking like a non-reinforced all rubber OTT

INTERNAL TRACTION RIB

- Provides high traction between tire and track and prevents tire wear



FULL RUBBER TRACK

- Allows operation on asphalt, concrete and turf surfaces without damage or marking

**FULL WIDTH, CONTINUOUS
RUBBER TRACK FOOTPRINT**

- Increases flotation by 5 times higher than tires and by, at least, twice as much over standard steel track

TIRE WIDTH	RIM DIAMETER	LINKS
10	16.5	26, 27, 28, 29, 31
12	16.5	29, 30, 31, 32, 33

TREAD PATTERN



CAMSO CARRIER HXD



CARRIERS



TOP PERFORMANCE AND UPTIME

The ideal carrier track to perform in the most severe application and avoid unexpected downtime. It is built to provide best durability for a long and predictable track life.

camsconstruction.com

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE



TRACTION




CAMSO CARRIER HXD

FIRST AND ONLY ENDLESS STEEL CABLE IN THE MARKET

- Protects from joint failures to avoid unexpected downtime

TRACKGUARD IRON CORE

- Improves rolling path life for reduced failures and enhanced durability



STRAIGHT BAR TREAD PATTERN


- Provides optimal traction

NEXT GENERATION RUBBER COMPOUND

- Promotes even tread wearing for long, predictable tread life

WIDTH	PITCH	LINKS	TREAD	GUIDING	METAL PIECE	CARCASS THICKNESS	LUG HEIGHT	METAL PIECE TYPE
350	100	53, 56, 58, 80	A1	B	E	42	27	STANDARD
700	100	96, 98	A2	B	T	66	32	STANDARD
750	150	66	A2	B	T	80	36	STANDARD

TREAD PATTERN



CAMSO MEX HXD



MINI-
EXCAVATORS



EXTREME RESISTANCE TO SEVERE CONDITIONS

A purpose-built solution for mini-excavators in harsh or extreme heavy-duty applications. Engineered to protect against irreversible damages and maximise your uptime.

camsconstruction.com

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE



TRACTION



CAMSO MEX HXD

PATENTED 3S INTERNAL IRON CORE

- Prevents detracking and minimises vibrations for better ride quality and lower maintenance cost

PREMIUM RUBBER COMPOUND AND EXTRA THICK CARCASS

- Improves damage resistance and promotes even tread wear for the longest track life



HIGH-TENSILE, RUBBER SEALED STEEL CABLES PROTECTED BY HEAVY-DUTY CARCASS AND TREAD


- Resists carcass punctures and cable corrosion to extend service life

CURBSHIELD TECHNOLOGY WITH HEAVY-DUTY CARCASS

- Maximises service life prior to track degradation process triggered by edge cutting leading to iron core corrosion and lower maintenance cost

WIDTH	PITCH	TREAD	GUIDING	METAL PIECE NAME	CARCASS THICKNESS	LUG HEIGHT	METAL PIECE TYPE	METAL PIECE SPECIFICATION
230	48	AH	I	KA	26.5	24.5	3S	STANDARD
300	55	AH	I	SA	35	27.5	3S	NARROW
	55	AH	I	WA	35	27.5	3S	WIDE
350	73	AH	J	EA	40	25	3S RAILTYPE	STANDARD
	52.5	AH	I	WA	34	25	3S	STANDARD
400	72.5	AH	I	WA	43	27.5	3S	NARROW
	72.5	AH	I	EA	43	27.5	3S	WIDE
	72.5	AH	J	EA	45.5	27.5	3S RAILTYPE	STANDARD
	73	AH	J	EA	41	25	3S RAILTYPE	STANDARD
	75.5	AH	J	WA	47	27.5	3S OFFSET - RAILTYPE	STANDARD
450	71	AH	I	JA	48	30	3S	STANDARD
	76	AH	I	JA	48	30	3S	STANDARD
	81	AH	I	OA	46.5	30.5	3S	NARROW
	81	AH	I	AA	46.5	30.5	3S	WIDE
	83.5	AH	J	UA	47	27.5	3S OFFSET - RAILTYPE	STANDARD
485	92	AH	I	D	62.5	27	OFFSET	STANDARD
500	92	AH	I	DA	56	33	3S	STANDARD

TREAD PATTERNS



CAMSO MEX SD



MINI-
EXCAVATORS



PREDICTABLE SERVICE LIFE AND PERFORMANCE

The best mini-excavator solution for heavy-duty applications. Designed to provide superior life as well as resistance against irreversible damages for a long and predictable service life.

camsoconstruction.com

PERFORMANCE

TREAD LIFE



FAILURE RESISTANCE




TRACTION



CAMSO MEX SD

PATENTED 3S INTERNAL IRON CORE

- Prevents detracking and minimises vibrations for better ride quality and lower maintenance cost



HIGH-TENSILE, RUBBER SEALED STEEL CABLES PROTECTED BY HEAVY-DUTY CARCASS AND TREAD

- Resists carcass punctures and cable corrosion to extend service life

CURBSHIELD TECHNOLOGY


- Extends service life prior to track degradation process triggered by edge cutting leading to iron core corrosion

WIDTH	PITCH	TREAD	GUIDING	METAL PIECE NAME	CARCASS THICKNESS	LUG HEIGHT	METAL PIECE TYPE	METAL PIECE SPECIFICATION
130	72	A	A	RB	18	15	STANDARD	STANDARD
180	60	S	A	F	16	13	STANDARD	STANDARD
	72	X	A	R	20	15	STANDARD	NARROW
		X	A	P	21	17	STANDARD	WIDE
		P	B	R	21	17	RAILTYPE	STANDARD
200	72	A	A	P	22	15	STANDARD	WIDE
		X	A	R	20	15	STANDARD	NARROW
		V4	J	P	24.5	17	RAILTYPE	WIDE
230	72	A	A	P	22	18	STANDARD	WIDE
		B	A	P	22	18	STANDARD	WIDE
		V4	J	P2	21.5	17	RAILTYPE	WIDE
	48	V1	I	KA	22	18	3S	STANDARD
		V5	J	KA	29.5	20	3S RAILTYPE	STANDARD
		ZZ	J	K	22.5	23	RAILTYPE	STANDARD
		96	R1	I	K	24	STANDARD	STANDARD
250	72	D	A	P	24	17	STANDARD	WIDE
		R1	A	PR	30	18	STANDARD	WIDE
	47	V5	J	KA	26	18	3S RAILTYPE	STANDARD
	48	V1	I	KA	27	20	3S	STANDARD
	48.5	OZ	J	KA	32	20	3S OFFSET - RAILTYPE	STANDARD
	52.5	V1	I	SA	29	24	3S	NARROW
	55.5	V1	J	SA	32.5	24	3S RAILTYPE	STANDARD
260	55.5	OY	J	S	32.5	24	RAILTYPE	STANDARD
280	52.5	V5	J	SA	31	24	3S RAILTYPE	STANDARD
300	52.5	V1	I	SA	31	23	3S	NARROW
		V1	I	WA	31	23	3S	WIDE
		V5	J	SA	34	24	3S RAILTYPE	STANDARD
	53	V5	J	SA	32	25	3S RAILTYPE	STANDARD
	55	Y2	J	SF	36	25	RAILTYPE	STANDARD
	55.5	O	J	SA	34	20		STANDARD
350	54.5	V1	J	WA	39	25	3S RAILTYPE	STANDARD
	52.5	V1	I	WA	30	22	3S	WIDE

CAMSO MEX SD

WIDTH	PITCH	TREAD	GUIDING	METAL PIECE NAME	CARCASS THICKNESS	LUG HEIGHT	METAL PIECE TYPE	METAL PIECE SPECIFICATION
400	72.5	V1	I	EA	39	25	3S	WIDE
		V1	I	WA	39	25	3S	NARROW
		V1	J	EA	40.5	25	3S RAILTYPE	STANDARD
450	71	V1	I	JA	44	25	3S	STANDARD
	81	V1	I	AA	42	28	3S	WIDE
		V1	I	OA	42	28	3S	NARROW

TREAD PATTERNS



NOTES:-

NOTES:-

NOTES:-



camsconstruction.com

[in](#) **Linkedin - CAMSO CONSTRUCTION**

- ✉ For Product or Service Support: customer.service@camsconstruction.com
- ✉ For General Queries or Feedback: customer.relations@camsconstruction.com

